



LIEBIG® lightning protection anchor


Retrofitted grounding systems



Bringing it together.

LIEBIG® lightning protection anchor

Unique solution for retrofitting grounding systems



LIEBIG® lightning protection anchor SUPERPLUS BLS M8-14 A4

**Cross references**

Cleaning brush
 Blow-out pump
 Tool belt
 Hammer drill SDS-plus
 Installation tool for through bolts
 Cordless hammer drill
 Torque wrench
 Socket wrench

Application range


- > Retrofitted grounding systems

Base materials

- Also suitable for
- > Concrete

Properties

- > A4 stainless steel
- > Automatic self-undercutting, unique heavy-duty anchor for push through installation
- > Connected retrofitted grounding systems with reinforced bars in concrete structures
- > LIEBIG® SUPERPLUS lightning protection anchors have the same properties and provide the same output as the self-undercutting SUPERPLUS anchors
- > A4 for indoor and outdoor areas, as well as industrial applications

Technical data

Order description	Nominal size [mm]	L [mm]	d ₀ [mm]	h ₁ [mm]	PU [pieces]	Price/100 [EUR]	Article number	EAN
LIEBIG lightning protection anchor BLS M8-14 A4	M8	85	14	40...60	25		9 650 814 085	4061245001111



EJOT SE & Co. KG

Market Unit Construction

In der Stockwiese 35

57334 Bad Laasphe · Germany

T +49 2752 908-0

F +49 2752 908-731

construction@ejot.com

www.ejot.com/construction